




Solid Bottom Cable Tray


Solid Bottom Cable Tray



Cable Trunking

Default unit mm

Model	Height	Width
CT50x100	50	100
CT75x150	75	150
Ct100x200	100	200
CT100x300	100	300
CT100x400	100	400
CT100x500	100	500
CT100x600	100	600
CT100x800	100	800
CT150x250	150	250
CT150x300	150	300
CT150x400	150	400
CT150x500	150	500
CT150x600	150	600
CT150x800	150	800
CT200x400	200	400
CT200x500	200	500
CT200x600	200	600
CT200x800	200	800



P/N definition

- ♦CT50X100, CT stands for cable trunking, 50X100 stands for height 50mm x width 100mm (outer dimension).

Sectional View

Size	Section
100x200	
100x300	
100x400	
100x500	
100x600	



90° Horizontal Elbow

Default unit mm

Model	Height	Width
ALL CT50x100-ELB90	50	100
ALL CT75x150-ELB90	75	150
ALL CT100x200-ELB90	100	200
ALL CT100x300-ELB90	100	300
ALL CT100x400-ELB90	100	400
ALL CT100x500-ELB90	100	500
ALL CT100x600-ELB90	100	600
ALL CT100x800-ELB90	100	800
ALL CT150x250-ELB90	150	250
ALL CT150x300-ELB90	150	300
ALL CT150x400-ELB90	150	400
ALL CT150x500-ELB90	150	500
ALL CT150x600-ELB90	150	600
ALL CT150x800-ELB90	150	800
ALL CT200x400-ELB90	200	400
ALL CT200x500-ELB90	200	500
ALL CT200x600-ELB90	200	600
ALL CT200x800-ELB90	200	800

P/N definition

- ♦CT50X100-ELB90, CT stands for cable trunking, ELB90 stands for 90° horizontal elbow, 50X100 stands for height 50mm x width 100mm (outer dimension).





Horizontal Tee

Default unit mm

Model	Height	Width
CT50x100-TEE	50	100
CT75x150-TEE	75	150
CT100x200-TEE	100	200
CT100x300-TEE	100	300
CT100x400-TEE	100	400
CT100x500-TEE	100	500
CT100x600-TEE	100	600
CT100x800-TEE	100	800
CT150x250-TEE	150	250
CT150x300-TEE	150	300
CT150x400-TEE	150	400
CT150x500-TEE	150	500
CT150x600-TEE	150	600
CT150x800-TEE	150	800
CT200x400-TEE	200	400
CT200x500-TEE	200	500
CT200x600-TEE	200	600
CT200x800-TEE	200	800

P/N definition

- ♦CT50X100-TEE, CT stands for cable trunking, TEE stands for horizontal tee, 50X100 stands for height 50mm x width 100mm (outer dimension).




Horizontal Cross

Default unit mm

Model	Height	Width
ALL CT50x100-CRS	50	100
ALL CT75x150-CRS	75	150
ALL CT100x200-CRS	100	200
ALL CT100x300-CRS	100	300
ALL CT100x400-CRS	100	400
ALL CT100x500-CRS	100	500
ALL CT100x600-CRS	100	600
ALL CT100x800-CRS	100	800
ALL CT150x250-CRS	150	250
ALL CT150x300-CRS	150	300
ALL CT150x400-CRS	150	400
ALL CT150x500-CRS	150	500
ALL CT150x600-CRS	150	600
ALL CT150x800-CRS	150	800
ALL CT200x400-CRS	200	400
ALL CT200x500-CRS	200	500
ALL CT200x600-CRS	200	600
ALL CT200x800-CRS	200	800

P/N definition

- ♦CT50X100-CRS, CT stands for cable trunking, CRS stands for horizontal cross, 50X100 stands for height 50mm x width 100mm (outer dimension).




90° Vertical Up Elbow

Default unit mm

Model	Height	Width
CT50x100-ERS	50	100
CT75x150-ERS	75	150
CT100x200-ERS	100	200
CT100x300-ERS	100	300
CT100x400-ERS	100	400
CT100x500-ERS	100	500
CT100x600-ERS	100	600
CT100x800-ERS	100	800
CT150x250-ERS	150	250
CT150x300-ERS	150	300
CT150x400-ERS	150	400
CT150x500-ERS	150	500
CT150x600-ERS	150	600
CT150x800-ERS	150	800
CT200x400-ERS	200	400
CT200x500-ERS	200	500
CT200x600-ERS	200	600
CT200x800-ERS	200	800

P/N definition

- ♦CT50X100-ERS, CT stands for cable trunking, ERS stands for 90° vertical up elbow, 50X100 stands for height 50mm x width 100mm (outer dimension).





90° Vertical Down Elbow

Default unit mm

Model	Height	Width
ALL CT50x100-IRS	50	100
ALL CT75x150-IRS	75	150
ALL CT100x200-IRS	100	200
ALL CT100x300-IRS	100	300
ALL CT100x400-IRS	100	400
ALL CT100x500-IRS	100	500
ALL CT100x600-IRS	100	600
ALL CT100x800-IRS	100	800
ALL CT150x250-IRS	150	250
ALL CT150x300-IRS	150	300
ALL CT150x400-IRS	150	400
ALL CT150x500-IRS	150	500
ALL CT150x600-IRS	150	600
ALL CT150x800-IRS	150	800
ALL CT200x400-IRS	200	400
ALL CT200x500-IRS	200	500
ALL CT200x600-IRS	200	600
ALL CT200x800-IRS	200	800

P/N definition


- ♦CT50X100-IRS, CT stands for cable trunking, IRS stands for 90° vertical down elbow, 50X100 stands for height 50mm x width 100mm (outer dimension).



Vertical Tee Up

Default unit mm

Model	Height	Width
CT50x75-VERTICALTEE	50	75
CT50x100-VERTICALTEE	50	100
CT75x100-VERTICALTEE	75	100
CT75x150-VERTICALTEE	75	150
CT100x100-VERTICALTEE	100	100
CT100x150-VERTICALTEE	100	150
CT100x200-VERTICALTEE	100	200
CT100x300-VERTICALTEE	100	300
CT100x400-VERTICALTEE	100	400
CT100x500-VERTICALTEE	100	500
CT100x600-VERTICALTEE	100	600
CT150x200-VERTICALTEE	150	200
CT150x300-VERTICALTEE	150	300
CT150x400-VERTICALTEE	150	400
CT150x500-VERTICALTEE	150	500
CT150x600-VERTICALTEE	150	600
CT150x800-VERTICALTEE	150	800
CT150x1000-VERTICALTEE	150	1000
CT200x300-VERTICALTEE	200	300
CT200x400-VERTICALTEE	200	400
CT200x500-VERTICALTEE	200	500
CT200x600-VERTICALTEE	200	600
CT200x800-VERTICALTEE	200	800
CT200x1000-VERTICALTEE	200	1000
CT200x1200-VERTICALTEE	200	1200
CT250x1200-VERTICALTEE	250	1200





P/N definition

- ♦CT50X75-VERTICALTEE, CT stands for cable trunking, VERTICALTEE stands for vertical tee up, 50X75 stands for height 50mm x width 75mm (outer dimension).

Vertical Tee Down

Default unit mm

Model	Height	Width
ALL CT50x75-LVETEE	50	75
ALL CT50x100-LVETEE	50	100
ALL CT75x100-LVETEE	75	100
ALL CT75x150-LVETEE	75	150
ALL CT100x100-LVETEE	100	100
ALL CT100x150-LVETEE	100	150
ALL CT100x200-LVETEE	100	200
ALL CT100x300-LVETEE	100	300
ALL CT100x400-LVETEE	100	400
ALL CT100x500-LVETEE	100	500
ALL CT100x600-LVETEE	100	600
ALL CT150x200-LVETEE	150	200
ALL CT150x300-LVETEE	150	300
ALL CT150x400-LVETEE	150	400
ALL CT150x500-LVETEE	150	500
ALL CT150x600-LVETEE	150	600
ALL CT150x800-LVETEE	150	800
ALL CT150x1000-LVETEE	150	1000
ALL CT200x300-LVETEE	200	300
ALL CT200x400-LVETEE	200	400
ALL CT200x500-LVETEE	200	500
ALL CT200x600-LVETEE	200	600
ALL CT200x800-LVETEE	200	800
ALL CT200x1000-LVETEE	200	1000
ALL CT200x1200-LVETEE	200	1200
ALL CT250x1200-LVETEE	250	1200




P/N definition

- ♦ CT50X75-LVETEE, CT stands for cable trunking, LVETEE stands for vertical tee down, 50X75 stands for height 50mm x width 75mm (outer dimension).

Reducer

Default unit mm


Model	Height	Width
CT50x75-RDC	50	75
CT50x100-RDC	50	100
CT75x100-RDC	75	100
CT75x150-RDC	75	150
CT100x100-RDC	100	100
CT100x150-RDC	100	150
CT100x200-RDC	100	200
CT100x300-RDC	100	300
CT100x400-RDC	100	400
CT100x500-RDC	100	500
CT100x600-RDC	100	600
CT150x200-RDC	150	200
CT150x300-RDC	150	300
CT150x400-RDC	150	400
CT150x500-RDC	150	500
CT150x600-RDC	150	600
CT150x800-RDC	150	800
CT150x1000-RDC	150	1000
CT200x300-RDC	200	300
CT200x400-RDC	200	400
CT200x500-RDC	200	500
CT200x600-RDC	200	600
CT200x800-RDC	200	800
CT200x1000-RDC	200	1000
CT200x1200-RDC	200	1200
CT250x1200-RDC	250	1200




P/N definition

- ♦CT50X75-RDC, CT stands for cable trunking, RDC stands for reducer, 50X75 stands for height 50mm x width 75mm (outer dimension).


Other Fittings for Cable Trunking




Vertical Elbow Upper-Left




Vertical Elbow Upper-Right




Vertical Elbow Lower-Left




Vertical Elbow Lower-Right




90° Four-Way Tee




90° Three-Way Elbow Down




Four-Way Wye Left




Four-Way Wye Right




Vertical Tee Up (Type A)



Vertical Tee Up (Type B)



Reducing Joint



90° Three-Way Elbow Up

VICH

NINGBO VICH IMPORT AND EXPORT CO., LTD



Scan the code to know more
information on our official website

Tel: +86 18667417369

Website: www.cnvich.com

Headquarters: No. 11, Weichuang Road, Zhenhai District,
Ningbo City, China.

Manufacturing Base: No. 329 Jiangbin Road, Beilun District,
Ningbo City, Zhejiang Province, China.

Version Number: 202406

- ♦ All rights reserved.
- ♦ Specifications and designs are subject to change without notice.